


LARGE SHRUBS/SMALL TREES:

| | | |
|---|----------------------|---------------------------|
| <i>Acacia mearnsii</i> | Black Wattle | Wind,Dry |
| <i>Acacia myrtifolia</i> | Myrtle Wattle | Wind,Dry,Shade |
| <i>Acacia paradoxa</i> | Hedge Wattle | Wind,Dry,Lime,Shade |
| <i>Acacia stricta</i> | Hop Wattle | Wind,Dry,Shade |
| <i>Acacia verticillata</i> subsp. <i>verticillata</i> | Prickly Moses | Wind,Dry,Shade |
| <i>Adriana quadripartita</i> (v) | Coast Bitter-bush | Coast |
| <i>Allocasuarina paludosa</i> | Swamp She-oak | Wind,Wet,Dry,Shade |
| <i>Allocasuarina verticillata</i> | Drooping She-oak | Coast,wind,Dry,Lime |
| <i>Alyxia buxifolia</i> | Sea-box | Coast,Wind,Dry,Lime |
| <i>Atriplex cinerea</i> | Coast Saltbush | Coast,Wind,Dry,Lime |
| <i>Banksia marginata</i> | Silver Banksia | Coast,wind,Dry,Lime,Shade |
| <i>Beyeria leschenaultii</i> | Pale Turpentine Bush | Coast,Wind,Dry,Lime |
| <i>Bursaria spinosa</i> subsp. <i>spinosa</i> | Sweet Bursaria | Wind,Dry,Lime,Shade |
| <i>Cassinia aculeata</i> | Common Dogwood | Moist |
| <i>Coprosma quadrifida</i> | Prickly Current Bush | Shade |
| <i>Indigofera australis</i> | Austral indigo | Dry,Shade |
| <i>Leptospermum continentale</i> | Prickly Tea-tree | Wind,Wet,Dry,Shade |
| <i>Leptospermum lanigerum</i> | Woolly Tea-tree | Wind,Wet,Water,Shade |
| <i>Leptospermum myrsinoides</i> | Heath Tea-tree | Dry,Shade |
| <i>Leptospermum obovatum</i> | River Tea-tree | Dry,Shade |
| <i>Leucopogon parviflorus</i> | Coast Beard-heath | Coast,wind |
| <i>Malva australiana</i> | Australian Hollyhock | Coast,Lime, |
| <i>Melaleuca squarrosa</i> | Scented Paperbark | Wind,Wet,Water,Dry,Shade |
| <i>Myoporum insulare</i> | Common Boobialla | Coast,Wind,Dry,Lime |
| <i>Notelaea ligustrina</i> | Privet Mock-olive | Shade |
| <i>Olearia argophylla</i> | Musk Daisy-bush | Shade |
| <i>Olearia axillaris</i> | Coast Daisy-bush | Coast,Wind,Dry,Lime |
| <i>Ozothamnus ferrugineus</i> | Tree Everlasting | Moist |
| <i>Ozothamnus turbinatus</i> | Coast Everlasting | Coast |
| <i>Pomaderris aspera</i> | Hazel Pomaderris | Shade |
| <i>Rhagodia candolleana</i> subsp. <i>candolleana</i> | Seaberry Saltbush | Coast,Wind,Dry,Lime, |
| <i>Sambucus gaudichaudiana</i> | White Elderberry | Shade |
| <i>Senecio odoratus</i> var. <i>odoratus</i> | Scented Groundsel | Dry |
| <i>Solanum laciniatum</i> | Kangaroo Apple | Coast,Moist |

Zone C1

'Plants of the Great South West' Indigenous Planting Guide for Zone C



The following is a list of suitable species for planting in Zone C, included as a guide, are conditions that these plants are particularly suited to or tolerant of.

SMALL SHRUBS:

| | | |
|---|---------------------|---------------------------|
| <i>Acrotriche serrulata</i> | Honey-pots | Coast,Dry,Shade |
| <i>Astroloma humifusum</i> | Cranberry Heath | Dry |
| <i>Correa alba</i> var. <i>pannosa</i> | White Correa | Coast,Wind,Dry,Lime,Shade |
| <i>Correa reflexa</i> var. <i>reflexa</i> | Common Correa | Coast,Dry,Shade |
| <i>Epacris impressa</i> | Common Heath | Shade |
| <i>Goodenia ovata</i> | Hop Goodenia | Moist,Wet,Shade |
| <i>Hibbertia aspera</i> subsp. <i>aspera</i> | Rough Guinea-flower | Dry,Shade |
| <i>Leucophyta brownii</i> | Cushion Bush | Coast,Dry,Lime |
| <i>Leucopogon virgatus</i> var. <i>virgatus</i> | Common Beard-heath | Dry,Shade |
| <i>Pimelea glauca</i> | Smooth Rice-flower | Dry,Shade |
| <i>Pimelea humilis</i> | Common Rice-flower | Dry,Shade |
| <i>Pimelea serpyllifolia</i> | Thyme Rice-flower | Coast |
| <i>Pultenaea canaliculata</i> (r) | Coast Bush-pea | Coast |
| <i>Pultenaea humilis</i> | Dwarf Bush Pea | Dry,Shade |
| <i>Pultenaea tenuifolia</i> | Slender Bush-pea | Coast,Dry |
| <i>Rubus parvifolius</i> | Small leaf Bramble | Shade |

LARGE TREES:

| | | |
|---|------------------------|----------------|
| <i>Eucalyptus obliqua</i> | Messmate Stringybark | Wind,Dry,Shade |
| <i>Eucalyptus ovata</i> | Swamp Gum | Wind,Wet,Shade |
| <i>Eucalyptus viminalis</i> subsp. <i>cygnetensis</i> | Rough-barked Manna Gum | Wind,Shade |
| <i>Eucalyptus viminalis</i> subsp. <i>viminalis</i> | Manna Gum | Wind,Shade |

SEDGES & SEDGE TYPE PLANTS:

| | | |
|---|------------------------|--------------------------|
| <i>Carex appressa</i> | Tall Sedge | Wet,Water,Shade |
| <i>Carex inversa</i> | Knob Sedge | Wet,Water,Shade |
| <i>Carex tereticaulis</i> | Hollow Sedge | Wet |
| <i>Eleocharis acuta</i> | Common spike-rush | Wet |
| <i>Eleocharis sphacelata</i> | Tall Spike-rush | Wet,Water,Shade |
| <i>Ficinia nodosa</i> | Nobby Club-rush | Coast,Wet,Dry,Lime,Shade |
| <i>Gahnia filum</i> | Chaffy Saw-sedge | Coast,Wet |
| <i>Gahnia radula</i> | Thatch Saw-sedge | Dry,Shade |
| <i>Gahnia sieberiana</i> | Red-fruit Sedge | Wet,Dry,Shade |
| <i>Gahnia trifida</i> | Coast Saw-sedge | Coast,Dry,Shade |
| <i>Isolepis cernua</i> subsp. <i>cernua</i> | Nobby Club-rush | Wet |
| <i>Isolepis fluitans</i> var. <i>fluitans</i> | Floating Club-rush | Wet,Water,Shade |
| <i>Isolepis inundata</i> | Swamp Club-rush | Wet,Water |
| <i>Isolepis marginata</i> | Club-rush | Wet |
| <i>Juncus holoschoenus</i> | Joint-leaved Rush | Wet,Water,Dry,Shade |
| <i>Juncus pallidus</i> | Pale Rush | Coast,Wet,Water,Shade |
| <i>Juncus pauciflorus</i> | Loose-flower Rush | Wet,Water,Shade |
| <i>Lepidosperma elatius</i> | Tall Sword-sedge | Wet,Shade |
| <i>Lepidosperma gladiatum</i> | Coast Sword-sedge | Coast,Lime,Dry,Shade |
| <i>Lepidosperma laterale</i> | Variable Sword-sedge | Wet,Dry,Shade |
| <i>Lepidosperma longitudinale</i> | Common Sword-sedge | Wet,Shade |
| <i>Lomandra filiformis</i> subsp. <i>filiformis</i> | Wattle Mat-rush | Dry,Shade |
| <i>Lomandra longifolia</i> subsp. <i>longifolia</i> | Spiny-headed Mat-rush | Dry,Shade |
| <i>Lomandra multiflora</i> subsp. <i>multiflora</i> | Many-flowered Mat-rush | Dry,Shade |
| <i>Luzula meridionalis</i> var. <i>meridionalis</i> | Woodrush | Wet,Dry,Shade |
| <i>Schoenoplectus pungens</i> | Sharp Club-sedge | Wet |
| <i>Schoenus apogon</i> | Common Bog-rush | Wet |
| <i>Typha domingensis</i> | Narrow-leaf Cumbungi | Wet,Water |
| <i>Xanthorrhoea minor</i> subsp. <i>lutea</i> | Small Grasstree | Dry,Shade |

GRASSES:

| | | |
|--|-----------------------|-------------|
| <i>Austrodanthonia caespitosa</i> | Common Wallaby-grass | Dry |
| <i>Austrodanthonia penicillata</i> | Slender Wallaby-grass | Shade |
| <i>Austrodanthonia setacea</i> | Bristly Wallaby-grass | Dry |
| <i>Austrofestuca hookeriana</i> | Hooker Fescue | Wet |
| <i>Austrofestuca littoralis</i> (r) | Coast Fescue | Coast |
| <i>Austrostipa flavescens</i> | Coast Spear-grass | Coast,Moist |
| <i>Austrostipa pubinodis</i> | Tall Spear-grass | Moist,Shade |
| <i>Distichlis distichophylla</i> | Australian Salt-grass | Coast,Lime |
| <i>Elymus scaber</i> | Common Wheat-grass | Dry,Moist |
| <i>Lachnagrostis billardierei</i> subsp. <i>billardierei</i> | Coast Blown-grass | Coast,Moist |
| <i>Lachnagrostis punicea</i> subsp. <i>filifolia</i> (Rr) | Common Blown-grass | Moist |
| <i>Microlaena stipoides</i> var. <i>stipoides</i> | Weeping-grass | Dry,Shade |
| <i>Phragmites australis</i> | Common Reed-grass | Wet,Water |
| <i>Poa labillardierei</i> var. <i>labillardierei</i> | Common Tussock-grass | Dry,Shade |
| <i>Poa morrisii</i> | Soft Tussock-grass | Moist,Shade |
| <i>Poa poiformis</i> var. <i>poiformis</i> | Blue Tussock-grass | Coast |
| <i>Poa sieberiana</i> var. <i>sieberiana</i> | Tussock-grass | Dry,Shade |
| <i>Poa tenera</i> | Slender Tussock-grass | Moist,Shade |
| <i>Spinifex sericeus</i> | Hairy Spinifex | Coast,Lime |
| <i>Sporobolus virginicus</i> | Salt Couch | Coast |
| <i>Themeda triandra</i> | Kangaroo Grass | Dry,Shade |

Coast: Plants suitable for frontline coastal planting.

Dry: Plants particularly suitable for planting in areas prone to dry conditions.

Wind: Plants that will generally tolerate strong winds.

Shade: Plants that will grow with little sunlight throughout the year.

Wet: Plants that will grow in soil that is permanently boggy but not actually under water.

Water: Plants that will grow on water or in areas that are permanently under water.

Lime: Plants that will tolerate limestone soils or soils with a high PH level.

Moist: Grows best in moist, well-drained soils

(Source – Growing conditions: ‘Grow What Where’ by Australian Plant Study Group)
(k) (v) (r) (R) Threatened species - refer to Conservation Status “Plants of the Great South West”

This plant list remains the property of Warrnambool & District Society for Growing Australian Plants. You are welcome to use it however no part may be reproduced for further publication without written permission.

HERBS & WILDFLOWERS:

| | | |
|---|-------------------------|----------------------|
| <i>Actites megalocarpa</i> | Dune Thistle | Coast |
| <i>Apium prostratum</i> subsp. <i>prostratum</i> var. <i>prostratum</i> | Sea Celery | Coast |
| <i>Arthropodium milleflorum</i> | Pale Vanilla Lily | Moist,Shade |
| <i>Arthropodium strictum</i> | Chocolate Lily | Moist |
| <i>Bossiaea prostrata</i> | Creeping Bossiaea | Dry,Shade |
| <i>Brachyscome cardiocarpa</i> | Hinge-fruit Daisy | Wet |
| <i>Brunonia australis</i> | Blue Pincushion | Dry,Shade |
| <i>Bulbine bulbosa</i> | Bulbine Lily | Dry,Shade |
| <i>Burchardia umbellata</i> | Milkmaids | Dry,Shade |
| <i>Carpobrotus rossii</i> | Karkalla | Coast,Dry |
| <i>Cotula coronopifolia</i> | Water Buttons | Wet,Water,Shade |
| <i>Craspedia paludicola</i> | Swamp Billy-buttons | Wet |
| <i>Crassula helmsii</i> | Swamp Crassula | Wet,Water,Shade |
| <i>Derwentia derwentiana</i> | Derwent Speedwell | Shade |
| <i>Dianella admixta</i> | Black-anther Flax Lily | Coast,Dry,Lime,Shade |
| <i>Dianella tasmanica</i> | Tasman Flax Lily | Dry,Shade |
| <i>Dichondra repens</i> | Kidney Weed | Dry,Shade |
| <i>Disphyma crassifolium</i> subsp. <i>clavellatum</i> | Rounded Noon-flower | Coast,Dry |
| <i>Drosera peltata</i> subsp. <i>auriculata</i> | Tall Sundew | Wet,Shade |
| <i>Drosera peltata</i> subsp. <i>peltata</i> | Pale Sundew | Wet,Shade |
| <i>Goodenia humilis</i> | Swamp Goodenia | Wet,Lime,Shade |
| <i>Helichrysum scorpioides</i> | Button Everlasting | Dry |
| <i>Isotoma fluviatilis</i> subsp. <i>australis</i> | Swamp Isotome | Wet,Water,Shade |
| <i>Kennedia prostrata</i> | Running Postman | Dry,Shade |
| <i>Linum marginale</i> | Native Flax | Dry,Shade |
| <i>Lotus australis</i> (k) | Austral Trefoil | Dry,Shade |
| <i>Lythrum hyssopifolia</i> | Small Loosestrife | Moist,Dry |
| <i>Mentha diemenica</i> | Slender Mint | Wet,Shade |
| <i>Mimulus repens</i> | Creeping Monkey- flower | Wet,Water |
| <i>Patersonia fragilis</i> | Short Purple-flag | Dry,Shade |
| <i>Pelargonium australe</i> | Stork's Bill | Coast,Dry,Shade |
| <i>Ranunculus inundatus</i> | River Buttercup | Wet,Water |
| <i>Ranunculus lappaceus</i> | Australian Buttercup | Wet,Shade |
| <i>Samolus repens</i> | Creeping Brookweed | Wet,Shade |
| <i>Selliera radicans</i> | Selliera | Moist,Shade |

| | | |
|---|----------------------|---------------------|
| <i>Senecio pinnatifolius</i> | Variable Groundsel | Coast,Lime |
| <i>Stackhousia spathulata</i> (k) | Coast Stackhousia | Coast,Dry |
| <i>Stylidium graminifolium</i> | Grass Triggerplant | Coast,Dry,Shade |
| <i>Tetragonia implexicoma</i> | Bower Spinach | Coast,Dry |
| <i>Thysanotus patersonii</i> | Twining Fringe-lily | Dry,Shade |
| <i>Thysanotus tuberosus</i> subsp. <i>tuberosus</i> | Common Fringe-lily | Dry,Shade |
| <i>Tricoryne elatior</i> | Yellow Rush-lily | Moist,Dry |
| <i>Veronica gracilis</i> | Slender Speedwell | Moist |
| <i>Villarsia reniformis</i> | Running Marsh Flower | Wet,Water |
| <i>Viola hederacea</i> | Ivy-leaf Violet | Wet,Water,Dry,Shade |
| <i>Wahlenbergia stricta</i> subsp. <i>stricta</i> | Tall Bluebell | Dry,Shade |
| <i>Wurmbea dioica</i> subsp. <i>dioica</i> | Early Nancy | Shade |
| <i>Zygophyllum billardierei</i> | Coast Twin-leaf | Coast,Dry |

CREEPERS:

| | | |
|-------------------------------|-----------------------|----------------------|
| <i>Clematis aristata</i> | Mountain Clematis | Moist,Shade |
| <i>Clematis microphylla</i> | Small-leaved Clematis | Coast,Dry,Lime,Shade |
| <i>Comesperma volubile</i> | Love Creeper | Lime,Moist,Shade |
| <i>Muehlenbeckia adpressa</i> | Climbing Lignum | Coast,Dry |

FERNS:

| | | |
|-----------------------------|---------------------|-----------|
| <i>Adiantum aethiopicum</i> | Maidenhair Fern | Wet,Shade |
| <i>Blechnum nudum</i> | Fishbone Water-fern | Wet,Shade |
| <i>Dicksonia antarctica</i> | Tree Fern | Wet,Shade |
| <i>Lindsaea linearis</i> | Screw Fern | Wet,Shade |
| <i>Pellaea falcata</i> | Sickle Fern | Shade |
| <i>Pteridium esculentum</i> | Austral Bracken | Moist |

AQUATIC PLANTS:

| | | |
|-------------------------------|-----------------------|-----------|
| <i>Azolla filiculoides</i> | Pacific Azolla | Water |
| <i>Lemna disperma</i> | Common Duckweed | Water |
| <i>Lilaeopsis polyantha</i> | Australian Lilaeopsis | Water |
| <i>Myriophyllum crispatum</i> | Water-milfoil | Water |
| <i>Myriophyllum muelleri</i> | Hooded Water-milfoil | Water |
| <i>Potamogeton crispus</i> | Curly Pond-weed | Water |
| <i>Potamogeton sulcatus</i> | Floating Pond-weed | Water |
| <i>Triglochin procera</i> | Water Ribbons | Water |
| <i>Triglochin striata</i> | Streaked Arrow-grass | Wet,Water |

